

TECHNICAL DESCRIPTION

CX-LiftBoxx™ XF 65-45



TECHNICAL DESCRIPTION

CX-LiftBoxx™ XF 65-45

WEIGHTS	Gross vehicle weight Maximum front axle pressure Maximum rear axle pressure Total carrying Capacity	6.500 kg 2.200 kg 5.200 kg 4.400 kg
DIMENSIONS	Maximum container length Inside width between the Wheels 1.300/1.500 Total vehicle width Height from road surface to top of rearframe approx.	5.000 mm 1.700 mm 2.400 mm 850 mm
CHASSIS	Cx LiftBoxx™ U-shaped chassis out of Strenx S700MC high strength steel	
WHEELS & TIRES	Standard Fiat Ducato Maxi front wheels Rear wheels extra high load capacity Spare wheel separately provided	225/70x16" 235/70/17,5 "
SUSPENSION	Front axles standard Fiat Ducato McPherson, Rear axles hydraulic suspension (oil & nitrogen), electronically controlled via WABCO's Ecas system	
AXLES	Two independent one-piece Coxh hydropneumatic suspension axles.	
BRAKES	Cab: Original from base vehicle with disc brakes and ABS Rear-axle: Iveco daily heavy braking system	
CONSERVATION	Chassis fully galvanized, axle components spray-painted	
REAR BODYWORK	Brushed stainless steel	
BASE VEHICLE	Fiat Ducato Heavy 4.0T (Maxi 40) Type, colour, options and motor on customer demand	
LIGHTING	LED rearlighting LED daytime runninglights optional on cab	
LIFTING MECHANISM	Electrohydraulic unit (24 volt), connected to battery of the base vehicle; two Hydraulic suspension cylinders with accumulator	
X UNITS	Not included, see www.liftboxx.com for the options	

TECHNICAL DESCRIPTION